


产品技术参数表 | 订货号: 770-503

护线盒; 3极; 适于2条线缆; 8.0 … 11.5 mm; 55 mm; 黑色

<https://www.wago.com/770-503>



颜色: ■ 黑色



外形尺寸 (单位 : mm)

Strain relief housing WINSTA® MIDI 3-pole

Realize the energy supply with ease: The strain relief housing from the WINSTA® MIDI product line is the product of your choice for quick, straightforward installation. An extensive range of accessories rounds out the WINSTA® product line from WAGO. WINSTA® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is used in can be found in a variety of projects you can use for quick, easy, secure, tailored installation. The strip length is 55 mm.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Now you can also cut installation costs without compromising quality and safety: The WINSTA® MIDI accessory reduces the need for servicing and prevents unnecessary downtime.

- simple circuits
- quick replacement of defective units during ongoing operation

接线参数

连接1

极数	3
可连接护套电缆直径	8 … 11.5 mm
剥线长度(外部绝缘皮)	55 mm

物理数据

宽度	34.6 mm / 1.362 inches
高度	15 mm / 0.591 inches
深度	50 mm / 1.969 inches

材料参数

Note (material data)	Information on material specifications can be found here
颜色	黑色
绝缘材料组别	I
绝缘材料	尼龙(PA 66)
UL94阻燃等级	V0
火灾荷载	0.274 MJ
重量	9.9 g

环境要求

工作温度	-5 ... +40 °C
持续工作温度	-35 ... +85 °C
持续工作温度说明	绝缘部分适用温度 ≤ 105 C

商业数据


Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 个
包装类型	Box
德国销售组织原产国	DE
GTIN	4017332753876
德国销售组织关税	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

认证 / 证书

般認證



认证	其他认证信息	认证名称
cURus Underwriters Laboratories Inc.	UL 1977	E45171
cURus Underwriters Laboratories Inc.	UL 1059	E 45172

船舶應用認證



认证	其他认证信息	认证名称
DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001Z6
LR Lloyds Register	IEC 61984	LR22429487TA

下载

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 770-503



文档

Bid Text

770-503	19.02.2019	xml 2.74 KB	
770-503	12.03.2015	doc 23.50 KB	

CAD/CAE-Data

CAD data

2D/3D Models 770-503



CAE data

EPLAN Data Portal
770-503



WSCAD Universe
770-503



ZUKEN Portal 770-503



1 相关产品

1.1 可选配件

1.1.1 标记

1.1.1.1 标记条



订货号: [210-333](#)

标记条; A4纸大小; 剥线宽度 6 mm; 剥线长度 : 182mm; 空白; 不干胶; 白色